Appendix A Part A Permit Application

For EPA Regional Use Only		8						
	United S		mental Protection, DC 20460		У			
	Hazard				nit			
Date Received			icatio	7				
Month Day Year			rt A			,		
I Familia FDA ID Number (Me			ctions before st	arting)	omusioni se a			
I. Facility's EPA ID Number (Ma	TK X In the appropri	ate box)						
A. First Part A Submissi	on	Х В.	Revised Part	A Submis	sion (Ame	endment #)
C. Facility's EPA ID Number		D. Secon	dary ID Num	ber (If app	licable)			
P R D 0 9 0 0	7 4 0 7 1			<u> </u>			78 % 16% (0) %:	. 90
S H E L L C H	I E M I C	A L	YA	В : О . С	·	T M !	a	
III. Facility Location (Physical ad					, O A	IN		Vist 1988
A. Street					MATE 18:233 - 24-27-23			
R D 9 0 1 K	M 2.7	CA	MI	N 0	ט מ	E VO	W A	R D
Street (Continued)					to come various and	<u></u>		L KLD
			1 1		. [manuse exag	
City or Town				State	Zip Cod	e		
Y A B U C O A				PR	0 0	7 6 7	- _{4 2}	2 5
County Code (If known) County Name	5 mm mm g 2 7							
			1	L	· · · · · · · · · · · · · · · · · · ·	·		
B. Land Type C. Geographic Lo						D. Facility E	xistence Da	te
	s, minutes, & seconds) L	ONGITUDE 0 6 5	(Degrees, minu	tes & seconds		Month Day	1.	
IV. Facility Mailing Address					5	0 6	1 9	/ 1
Street or P.O. Box		建筑建筑地域						
P 0 B 0 X 1	. 8 6			l				
City or Town			<u> </u>	State	Zip Code		!!	
Y A, B U C O A		· · · · · · · · · · · · · · · · · · ·		PR	0:0:	7:6:7:	- 0 1 1	8 6
V. Facility Contact (Person to be	contacted regardin	g waste act	ivities at fac				0 1 1	8 6
Name (Last)			(First)	· · · · · · · · · · · · · · · · · · ·	1 1			
V A S O U E Z			JUA	' N.	T .:		1	
Job Title			Phone Nu	mber <i>(Area</i>	a Code and	d Number)	compliant in a	
D I R E C T O R	1		7 8 7	- 7	2 1	- ;0;1,	5 , 0	
VI. Facility Contact Address (See	instructions)			制制制	拉州的			
A. Contact Address B. Street o	r P.O. Box	. 9						
X P 0	в о х	3 6 6	6 9 7	·				
City or Town		THE RESIDENCE WHEN	ener ye - ro	State	Zip Code	,		
S A N J U A N				P.R	0.09	3 6 -	- 6 :6	9 7

Please print or	or type with ELITE type (12 characters per inch) in the unshaded areas only Form Approved, OMB No. 2050-0034 Expires 10/31/02 GSA No. 0248-EPA-OT Mber (Enter from page 1) Secondary ID Number (Enter from page 1)																									
EPA ID Numb	er (l	Enter	fron	n pag	ge 1)										Sec	cond	ary	ID N	um	ber i	(En	ter	fron			
P R D	0	9	0	0 7	7 2	4	0	7 1			<u></u>									T	T	T		Pu	,	T
VII. Operator	Infor	mati	on (5	See i	nstru	ctio	ns)	-			1											170	i Visit		de a	
A. Name of O	pera	tor																								
S H E	L	L		F	I E		M]		CA	L		Y	A	В	11	c.	0.	Δ		Т	N	,	C			ТТ
Street or P.O.	Вох																<u> </u>	ودد					لما		L	
R D	9	0	1	K	_ M	[.	2.	7		c	A	N	1 I	N	0	T	N	U	Е	v	0	T		W	A	R D
City or Town															State	е	ZII	P Co		<u> </u>				M	A	R D
Y A B	ַ ַ ַ ַ	C	0 A	c											P	R	0	0	7	6	7		_	4	2	2 5
																-										1213
Phone Number	r (Ai	ea C	ode i	and i	Numi	ber)					В	5.00	rato: /pe		C. Ch		of							ange		
7 8 7 -				3 -	- 2	4	2	4				P			Yes	y	No	.01] [,	Mont	2	Da	1 1			ear
VIII. Facility O	wner	(See	ins	truct	ions)								4 1				(3.7)					3		2	0	0 1
A. Name of Fa	cility	's Le	gal C	Owne	er															## T. T.			Carried St.	中国国		
S H E I	. I		С	Н	E	M	I	C	A	L	T	Y	A	В	U	c		_		_		N C	T	\neg	7	
Street or P.O.	Вох								-				155			0 10		Δ,			<u> r</u>	NIC	4		1	
R D 9) 1		K	M.		2.	7		C	T _A	M-	T	N	0		,].	11	E	V	0	T	Τ.		. T	T
City or Town													1.4		State			Cod	-	V	10_			W_L	A_	$R \mid D$
Y A B U		: o	A												P	R	0	0	7	6	7		_[4	2	2 5
													-				<u> </u>	<u></u>	<u>, </u>	U		٠		!	2	2 5
Phone Number	(Are	a Co	de a	nd N	umb	er)				ſ	В.	Own	er Ty	pë	C. Cha	nge	of O	wne						nge	d	
7 8 7 -	8		3		2	4	2	4				P			Yes		cato No	or.		onth 2	T	Day 3	1	2	Ye	
IX. NAICS Code	es (ir	orde	er of	sign	ifica	nce;	start	in le	ft bo	(XI															0	
First	3	2	4	1	1						T	hird		Ī				a lanca se				4 / 4		Port St.	2000	
(Description) PET	ROL	EUM	RE	FIN	ING		1-11-11-1-1				(E	escrip	tion)													-
Second		T					1				F	ourti	 1	T	T	T	T	Ŧ	Ŧ							
(Description)	L		<u> </u>		1		1					escripi					i_									
X. Other Enviro	nmei	ntal F	erm	its (5	See ii	nstru	ıctioi	ns)	-									4.4					13.4.		(n.V.s.)	Signary S
A. Permit Type															ZI REFER	3 . je 1				in the			A P			Partition (
(Enter code)					Е	B. Pe	rmit	Num	ber									C. I	Desc	cript	ion					
N	Р	R	0	0	0	0	1	0	_0_		T			NPDES												
. R	P	R	D	0	9	0		7	4	0	7	1		RC		-										
E	D	В	R	7	7	9	1	9	6	9	3	6		BI	O ME	DIC	AL	WA	ST	E 6	EN	٧.	TD	. N		
E	P	F	E	_T_	V	_2	9	1	1	_7_	_7_	0	3		-002											TION
E	P _A	F U	E 9	_7	7	_1_7	2	8	8	0	9	8_	7-	I-I	I-0_	AIR	_EI	MIS	SI	ON_	ΩP	ER	AT.	LON		ERMIT
E	A A	G	0	7	7	7	0	2	9	7	A				ED O						ID)	NO.			
E	Α	N	7	7	0	2	6	1		7	H				MAI						170					
-	2.1	11																								
PA Form 8700-23 (051	EDTII	KES	GI	SN.		J	NU	•				

FF	EPA ID Number (Enter from page 1)											G3A NO. 0240-EPA-O
												Secondary ID Number (Enter from page 1)
P	R	D	0	9	0	0	7	4	0	7	1	
XI.	Nati	ure o	f Bu	sine	ss (F	rovi	de a	brie	fdes	crin	tion)	

The facility refines crude oil to produce petroleum products, which include reformate/gasoline, diesel, kerosene, fuel oil, bunker and other petroleum distillates and feedstocks. The physical plant includes: 1) marine loading and unloading facilities, 2) above ground tank storage for crude oil, intermediate and final products, and 3) refining process units which include crude distillation, hydrotreating, hydrocracking, reforming, hydrogen, sulfur recovery, lube oil processing/dewaxing, utility operations to include water and wastewater treatment, and gas processing and recovery.

XII. Process Codes and Design Capacities

- PROCESS CODE Enter the code from the list of process codes below that best describes each process to be used at the facility. Thirteen lines are provided for entering codes. If more lines are needed, attach a separate sheet of paper with the additional information. For "other" processes (i.e., D99, S99, T04 and X99), describe the process (including its design capacity) in the space provided in item XIII.
- PROCESS DESIGN CAPACITY For each code entered in column A, enter the capacity of the process. AMOUNT - Enter the amount. In a case where design capacity is not applicable (such as in a closure/post-closure or enforcement action) enter the total amount of waste for that process.
 - UNIT OF MEASURE For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the units of measure that are listed below should be used.
- C. PROCESS TOTAL NUMBER OF UNITS Enter the total number of units used with the co

PROCESS CODE PROCESS Disposal:	APPROP MEASUR	RIATE UNITS OF E FOR PROCESS EN CAPACITY	7	OCESS	OCESS	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY
DISPOSAI: D79 Underground Injection Well Disposal D80 Landfill D81 Land Treatment D82 Ocean Disposal D83 Surface Impoundment	Gallons; Liters; Gall Per Day Acre-feet; Hectare-n Meters; Hectares; Ct Acres or Hectares Gallons Per Day or L Gallons; Liters; Cubi	ubic Yards iters Per Dav	T81 T82 T83 T84 T85 T86	Cement Kiln Lime Kiln Aggregate Kiln Phosphate Kiln Coke Oven Blast Furnace	}	Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kllograms Per Hour; Metrou Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; Btu Per Hour; Liters Per Hour; Kilograms Per Hou or Million Btu Per Hour
Disposal D99 Other Disposal Storage; S01 Container S02 Tank Storage	Cubic Yards Any Unit of Measure Gallons; Liters; Cubi Gallons: Liters: Cubi	Listed Below	T87 T88 T89	Smelting, Melting Or Refining Furn Titanium Dioxide Chloride Oxidatio Methane Reform	ace on Reactor	Gallons Per Day; Liters Per
\$03 Waste Pile \$04 Surface Impoundment Storage \$05 Drip Pad	Cubic Yards or Cubic	c Meters c Meters; or Cubic Yards	T90	Furnace Pulping Liquor R Furnace Combustion Dev	Recovery	Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day: Metric Tons
S06 Containment Building Storage	Hectares; or Cubic Ya Cubic Yards or Cubic	ards : Meters	T92	In The Recovery Values From Spe Acid	Of Sulfur ent Sulfuric	Per Hour; Short Tons Per Day; Btu Per Hour; Gallons Per Hour; Liters Per Hour; or Million Btu Per Hour
S99 Other Storage <u>Treatment:</u> T01 Tank Treatment	Any Unit of Measure		T93	Halogen Acid Fur Other Industrial F Listed in 40 CFR	limaree	
T02 SurfaceImpoundment Treatment	Per Hour; Gallons Pe Pounds Per Hour; Sh Kilograms Per Hour; Metric Tons Per Hour; Gallons Per Day; Lite, Per Hour; Gallons Pe Pounds Per Hour; Sh Kilograms Per Hour; Metric Tons Per Hour	Metric Tons Per Day; or rs Per Day; Short Tons rr Hour; Liters Per Hour; ort Tons Per Day; Metric Tons Per Day; or	T94	Containment Bui Treatment	lding -	Cubic Yards; Cubic Meters; Short Tons Per Hour; Gallons Per Hour, Liters Per Hour; Btu Per Hour, Pounds Per Hour, Short Tons Per Day; Kilograms Per Hour; Metric Tons Per Day; Gallons Per Day; Liters Per Day; Metric Tons Per Hour; or Million Btu Per Hour
T03 Incinerator	Short Tons Per Hour; Hour; Gallons Per Ho Per Hour; Pounds Per Day; Kilograms Per H Liters Per Day; Metric	Metric Tons Per ur; Liters Per Hour; Btu Hour; Short Tons Per	X01 X02	OpenBurning/Op Detonation Mechanical Proce	en	Any Unit of Measure Listed Below Short Tons Per Hour; Metric Tons Per Hour; Short Tons Per Day; Metric Tons Per Day; Pounds Per Hour; Kilograms
T04 Other Treatment	Hour; Snort Tons Per Hour; Metric Tons Per Hour; Short Tons Per Gallons Per Day; Liter Btu Per Hour	Day; Metric Tons Per Day; Btu Per Hour; s Per Hour; or Million	хоз	Thermal Unit		rer Hour; Gallons Per Hour; Liters Per Hour; or Gallons Per Day Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day: Metric Tons Per Hour
T80 Boiler	Gallons; Liters; Gallor Hour; Btu Per Hour; or	ns Per Hour; Liters Per Million Btu Per Hour		Geologic Reposito	ory	Short Tons Per Day; Btu Per Hour; or Million Btu Per Hour Cubic Yards; Cubic Meters; Acre-feet; Hectare-meter, Gallons; or Liters Any Unit of Measure Listed Below
UNIT OF MEASURE N	UNIT OF MEASURE CODE	UNIT OF MEASURE	MEA	UNIT OF	UNIT OF MEASUR	UNIT OF E MEASURE CODE

Gallons Per Hour

Gallons Per Hour E Gallons Per DayU

Liters Per Hour..... H

Liters Per Day V

Cubic Yards

Hectares

Cubic Meters Acres B

Acre-feet

Btu Per Hour l

Hectare-meter

Short Tons Per Hour

Pounds Per Hour Kilograms Per Hour

Million Btu Per Hour

Metric Tons Per Day

Metric Tons Per Hour Short Tons Per Day

Chercode	Please p				h ELIT	E type	(12	chara	cters	peri	nch) in	the un	shaded	areas o	nly		Form Appr	oved,	OMB N	o. 2050	-0034 GSA I	Expire No. 02	10/s	31/02
XIL Process Codes and Design Copulations (Continued)													dary.	D Numbe	r (E	nter f				-				
EXAMPLE FOR COMPLETING TEM XIII shown in line number X 1 Delow): A Tacility has a storage tank which can hald \$32,788. Spalants A Process Code of A Process A Proces	PR	D	0	9	0 (7	4	0	7	1			W. 1					- AF . F	Ì		Ť			(1box)
A Process SEPROCESS DESIGN CAPACITY Continued to the state of th	XII.Proc	ėss	Code	ar Sar	d Des	ign Ca	pabi	lities	(Cor	itinue	d) 🛴													
Line A Process Code Number Numbe	E	ХАМ	PLE	FOR	COMP	LETING	ITE	MXII (shov	vn in l	ine nur	nber X-	1 below): A facil	lity ha	s a sto	rage tank,	which	h car	holo	53	788	N. Contract of the Contract of	ATT TO
Number Code		la series			Mary Hill			200		A PARTY	direction.									No.		City		44,
Figure Section Secti	44 . 100 . 100	100			140 x) 4 /	17 - 47 3 164 17 - 47 3 164	** ***********************************	B	PRO	CESS	DESIG	N CAP	ACITY	or and the	e la				72					
S O 1 .717 Y O O O O O O O O O O O O O O O O O O		(Fron	n list a	bove)	CR 4-8-31				ich eine) Am	N.V.				Me	asure	Numbe				-Cin	"y		
S 0 1	X	5.	a	12	z bia pad S	Market Company				A BOOK	"大大"	523	3 7	Day No.	Y	excession on	S-161 6-6-1 - NV	500	183 F	998-JA 3-000	€1 (%) ± 7: 44 ± 12	7/11/2 2001	Sec.	A STATE
## AP Process Code	X I	s	0	1	210.21		**********				The state of the state of	25 4	A. IL. R. ASIEN	7 7 7	14 ASS 38						1997		200	Marie I
## A Process B PROCESS DESIGN CAPACITY Line: A Process B PROCESS DESIGN CAPACITY **Control of Process Codes* **Committed of the Process B Proce	2														╁	-	001					XX.	80.70 19.57	(1)
## A Process B PROCESS DESIGN CAPACITY Line: A Process B PROCESS DESIGN CAPACITY **Control of Process Codes* **Committed of the Process B Proce	15°	-												, .	+-				14 (A)	1200		\$2.50 E		F. 100
## A Process B PROCESS DESIGN CAPACITY Line: A Process B PROCESS DESIGN CAPACITY **Control of Process Codes* **Committed of the Process B Proce	4												•		\dagger					orce 12	(V.)			
MOTE: If you need to list now than 13 process codes, attach an additional sheet is I with the information in the same format. So above, number that times equientistly being and accountany lines that will be used for other processes (i.e. page 5394). TO 4 and X391 in item XIII so the same format. XIII. Other Processes (Follow fastruptions from item XII for page 500), page and X39 process codes. Line: A Process B PROCESS DESIGN CAPACITY. Code Code Code Code Code Code Code Code	3												<u> </u>		+				沙沙 在心理	新疆		~5. \ 		indi-
NOTE: If you need to list more than 13 process codes, attach an additional sheetle), with the information in the same format. NOTE: If you need to list more than 13 process codes, attach an additional sheetle), with the information in the same format. So above, Number this times sequentially, taking into accountary lines that will be used four other processes (i.e. posts 555	an 6												•		+			-			200	36 TO		aler 26
NOTE: If you need to list more than 13 process codes, attach an additional sheetle), with the information in the same format. NOTE: If you need to list more than 13 process codes, attach an additional sheetle), with the information in the same format. So above, Number this times sequentially, taking into accountary lines that will be used four other processes (i.e. posts 555	17														+		 		282013	37.4	1	Sirek Sirek		
MOTE: If you need to list more than 13 process codes, stoch an additional sheet(st with the information in the same formatic as above. Number that times sequentially taking into accountany lines that will be used for other, processes (i.e. D95, S95, TO4, and X99) in item XIIIs. XXII. Other Processes (Follow instructions from item XVI for D99, S90, TD4 and X99 process codes) Line: A Process Number Code: B. PROCESS DESIGN CAPACITY Number Code: Sequential shows a process of the p	8													-	1		 			120	部が			
NOTE: If you need to list more than 13 process codes strach an additional shoeld; with the information in the same formal. as above, Number that lines sequentially; taking jirb accountsny lines that will be used for other processes (i.e., D9S, S95). TO 4 and x99) in item XIII. XIII. Other Processes (Follow fastructions from item XII for D99, S99, [D4 and X99 process codes). Line: A Process B. PROCESS DESIGN CAPACITY Code of the process of the proce	* 3			i i											T		-	- 93			-		24	2000 2000
TO4 and 299) in item XIII. XIII. Other Processes (Follow fastructions from item XII for D99 \$93) [D4 and X99 process codes) Line: A Process B PROCESS DESIGN CAPACITY C Process D. Description of Process Emer 45 in (From its story) Equivariant A To a code of the process	1 0			V									<u> </u>		†		· -			-C &		35.		
TO4 and 299) in item XIII. XIII. Other Processes (Follow fastructions from item XII for D99 \$93) [D4 and X99 process codes) Line: A Process B PROCESS DESIGN CAPACITY C Process D. Description of Process Emer 45 in (From its story) Equivariant A To a code of the process	1 7														1				16 m	2 1	學人			数
TO4 and 299) in item XIII. XIII. Other Processes (Follow fastructions from item XII for D99 \$93) [D4 and X99 process codes) Line: A Process B PROCESS DESIGN CAPACITY C Process D. Description of Process Emer 45 in (From its story) Equivariant A To a code of the process	1 2													(W)	1	-		10.4	164 C		· · · · · · · · · · · · · · · · · · ·	CE TO		
TO4 and 299) in item XIII. XIII. Other Processes (Follow fastructions from item XII for D99 \$93) [D4 and X99 process codes) Line: A Process B PROCESS DESIGN CAPACITY C Process D. Description of Process Emer 45 in (From its story) Equivariant A To a code of the process	37	4									•				1			1	The same	A	2 12	100	がい	
TO4 and 299) in item XIII. XIII. Other Processes (Follow fastructions from item XII for D99 \$93) [D4 and X99 process codes) Line: A Process B PROCESS DESIGN CAPACITY C Process D. Description of Process Emer 45 in (From its story) Equivariant A To a code of the process	NC as	JE Show	If you	i neê Jinbe	d to lis	l more	than	13 pi	roces	E COO	les, att	ach an	addition	al shee	(E) W	th the	nformati	on in	thes	ame	přo	iat ¢	學院	· XX
Line A Process Rumber Cride Grade Line A Process Code Cod							. 7	11.	7. 1. 1. 1.	THE STATE OF	A STIPLE	The Great		TO WILLIAM STE	COUNTY OF THE STATES	CALL AND THE	Jan Alexander Ch	cess (**)	cs (i.e	., D9), S9	19,		W.
Emer de in (Prom.liet abase) Seg untit) Amount (Seccity) Measure Che coff Of Unities In situ Vianication In												D99, S	99 ₄ ,704	and X9	9 pro	CESS C	odes)	-						
Measure Cher code Of Daris X 11	Number	No.	Code	12	AMERICANIA							CITY	\$176.3°	V	Proce Total	S	D.	Desc	riplic	DM:11	Daw.		後に	
In situ Vibrication	seg wixe)	(Fron	0000	-				1. A	moui	nt (Spc	- 14)		Measi Measi	,,,, V	umbe	7		His District	100					金融
		海.	0	1	鐵樹		1		STAN A	E in ignilus in		THE STATE OF	Chief Co	disable 216 all the second		- C	Patry in a	120	leen into		37E	V.		17
	鐵水	AND	(5.13)	N PARTI													A.S. Indiana.			Jines	ion	स्थान या	TO CE	alk.
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					4.00		e i politika Eugene jang			A COLOR		11/10/1503 10/10/16/16/16/16/16/16/16/16/16/16/16/16/16/	1	. *							1
												And Same	T. H.											1
\$0.14%	- X		- L	- 1									ì	- 1			•							\dashv
\$0.14%					o danagar an ang sangar an ang sangar			o ma							ot this special	MACHINE TO SERVICE TO								
\$0.14%			120	A philade		e de							5 2 120			类								
	76.6 34	- 1		- 1										-										\dashv
	The Ken		Total Car	N. C							The sale	Constitution and the		N. S. Maria		20								
			學派		沙线	11 30	****					0				ver (
	1111													- 1										1
	344									A THE PARTY OF THE	The state of													
PA Form 8700-23 (Rev. 1099)						が大き		2.164	THE PARTY OF				Call Control	In the state of		× 1	9							

-							-	-					GSA 140. UZ48	EFA-UI
E	EPA ID Number (Enter from page 1)											Secondary ID Number (Enter from	n page 1)	
P	R	D	0	9	0	0	7	4	0	7	1			T
Х	XIV. Description of Hazardous Wastes						us W	/aste	s	To the second	11			A MARKET
										4	C. Maria		医色色 斯拉	机心型机

- A. EPA HAZARDOUS WASTE NUMBER Enter the four-digit number from 40 CFR, Part 261 Subpart D of each listed hazardous waste you will handle. For hazardous wastes which are not listed in 40 CFR, Part 261 Subpart D, enter the four-digit number(s) from 40 CFR, Part 261 Subpart C that describes the characteristics and/or the toxic contaminants of those hazardous wastes.
- B. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C UNIT OF MEASURE For each quantity entered in column B enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	CODE
POUNDS	Р	KILOGRAMS	К
TONS	т	METRIC TONS	М

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1. PROCESS CODES:

For listed hazardous waste: For each listed hazardous waste entered in column A select the code(s) from the list of process codes contained in item XII A. on page 3 to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed hazardous waste: For each characteristic or toxic contaminant entered in column A, select the code(s) from the list of process codes contained in item XII A. on page 3 to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed hazardous wastes that possess that characteristic or toxic contaminant.

NOTE: THREE SPACES ARE PROVIDED FOR ENTERING PROCESS CODES. IF MORE ARE NEEDED:

- 1. Enter the first two as described above.
- 2. Enter "000" in the extreme right box of item XIV-D(1).
- 3. Use additional sheet, enter line number from previous sheet, and enter additional code(s) in item XIV-E.
- PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form (D.(2)).

NOTE: HAZARDOUS WASTES DESCRIBED BY MORE THAN ONE EPA HAZARDOUS WASTE NUMBER - Hazardous wastes that can be described by more than one EPA Hazardous Waste Number shall be described on the form as follows:

- Select one of the EPA Hazardous Waste Numbers and enter it in column A. On the same line complete columns B, C and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- In column A of the next line enter the other EPA Hazardous Waste Number that can be used to describe the waste.
 In column D(2) on that line enter "included with above" and make no other entries on that line.
- 3. Repeat step 2 for each EPA Hazardous Waste Number that can be used to describe the hazardous waste.

EXAMPLE FOR COMPLETING ITEM XIV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

			A. E	EPA 'ARD		B. ESTIMATED ANNUAL										D. PROCESS
Li. Nun	ne 1ber	и	AST	E NO) .	QUANTITY OF WASTE	MEASURE (Enter code)		ľ	1) PR	OCE	ss c	ODE	S (E	nter)	(2) PROCESS DESCRIPTION (If a code is not entered in D(1))
х	1	к	0	5	4	900	р	Т	0	3	D	8	0			
X	2	D	0	0	2	400	P	T	0	3	D	8	0			
x	3	D	0	0	1	100	P	т	0	3	D	8	0			
х	4	D	0	0	2											Included With Above

Form Approved, OMB No. 2050-0034 Expires 10/31/02 GSA No. 0248-EPA-OT

Please print or type with ELITE type (12 characters per inch) in the unshaded areas only

E	PA ID	Nun	ber	(Ent	er fr	om page 1)		_						,	Seco	ndar	y ID Number (Enter from page 1)
I				9	0	0 7 4	0 7 1										
X	IV. De	scrip	tion	of H	lazar	dous Wastes	(Continued;	use	add	ition	ai s	heet	s as	nece	essai	'y)	
				EPA rdou	s	B. Estimated Annual	C. Unit of Measure								Ľ). PR	OCESSES
100	ine Imber		Wası	te No		Quantity of Waste	(Enter code)		(1) P	ROC	ESS	COL	DES	Ente	r cod	de)	(2) PROCESS DESCRIPTION (If a code is not entered in D(1))
	1	F	0	3	7	2 0 0	T	S	0	1				1			
L	2	F	0	3	8								T	T			INCLUDED WITH ABOVE (1)
	3	K	0	5	1	5 0 0	Т	S	0	1							TOUR THE MOOVE (I)
	4	K	0	5	0												INCLUDED WITH ABOVE (3)
	5	K	0	4	9									I			INCLUDED WITH ABOVE (3)
	6	K	0	4	8												INCLUDED WITH ABOVE (3)
	7	ט	1	5	4	4,500	P	S	0	1							
	8	D	0	0	1	50 ·	T	S	0	1							
	9	D	0	1	8_	100 -	T	S	0	L							
1	0	K	1	7	1	90	Т	S	0	1							
1	1	K	1	6	9	100	T	S	0	1							
1	2	K	1	7	2	100	T	S	0	1							
1	3											L					٠
1	4										_	_		L			
1	5																
1	6				_												f .
1	7				_												
1	8				_						_	_	_		_		
1	9		_	_									_		_	_	
2	0				-			_				_	_				
2	1		-	\dashv	-						_	_	_	<u> </u>	_		,
2	2	\dashv		-	-				_			_	-	_	_		
2	3	-	+	+	\dashv							_		_	<u> </u>		
2	4	+	-	+	+			-		-				<u> </u>	-		
2	5		+	+	\dashv					_			-	-	-		
2	6	+	+	-	+			-	-				_	_			
2	7	+	+	-	\dashv			-	+				-	-			
2	8	+		+	+			-	-	-				-			
2	9	\dashv	+	+	+			+		-				-			
3	0	-		+	-			+		-				_			
3	1		+	-	+			+				-			_		
3	2	+	+	+	+			-	+				_				
3	3				\bot												

Please pint of type with ELTTE type (12 characters per inch) in the unsh	aded areas only GSA No. 0248-EPA-C
EPA ID Number (Enter from page 1)	Secondary ID Number (Enter from page 1)
P R D 0 9 0 0 7 4 0 7 1	(and head to
XV. Map	
Attach to this application a topographic map, or other equivalent map, of The map must show the outline of the facility, the location of each of its e hazardous waste treatment, storage, or disposal facilities, and each well v other surface water bodies in this map area. See instructions for precise	xisting and proposed intake and discharge structures, each of its
XVI. Facility Drawing	
All existing facilities must include a scale drawing of the facility (See	e instructions for more detail). EXHIBIT B
XVII. Photographs	
All existing facilities must include photographs (aerial or ground-level) tha and disposal areas; and sites of future storage, treatment or disposal area	nt clearly delineate all existing structures; existing storage, treatment as (see instructions for more detail). EXHIBIT C
XVIII. Certification(s)	
I certify under penalty of law that this document and all attachn in accordance with a system designed to assure that qualified psubmitted. Based on my inquiry of the person or persons who may for gathering the information, the information submitted is, to the complete. I am aware that there are significant penalties for submand imprisonment for knowing violations.	personnel properly gather and evaluate the information anage the system, or those persons directly responsible the best of my knowledge and belief true assurate.
Owner Signature	Date Signed
Name and Official Title (Type or print) JUAN I. VASQUEZ G., DI	
Owner Signature	Date Signed
Name and Official Title (Type or print)	
Operator Signature	Date Signed
Name and Official Title (Type or print)	
Operator Signature	Date Signed
Name and Official Title (Type or print)	
XIX. Comments	
Note: Mail completed form to the appropriate EPA Regional or State Office. (R	Refer to instructions for more information)

EXHIBIT A





EXHIBIT B



Shell Chemical Yabucoa, Inc.

Solid Waste Management Units ("SWMU")


- 1. Sump in Tug Boat Dock Area
- 2. West API Separator
- 3. East API Separator
- 4. West Aisle Ditch
- 5. Tank Farm Firewater Basin
- 6. Outfall Basin
- 7. Refinery 3 Cell API Separator
- 8. Refinery 2 Cell API Separator
- 9. Flood Control Surge Pond
- 10. Lime Pits
- 11. Sulfur Pits
- 12. Slop Oil Tanks W5
- 13. Slop Oil Tank W6
- 14. Final Retention Basin
- 15. Equalization Basin
- 16. Sludge Digester
- 17. North Aeration Basin
- 18. South Aeration Basin
- 19. Clarifier
- 20. Float Oil Basin
- 21. Old Oily Sludge Pond
- 22. Hazardous Waste Storage Building
- 23. Asbestos Storage Boxes
- 24. Box Van for Asbestos Storage
- 25. Nonhazardous Waste Mixing Box
- 26. DAVCO Unit
- 27. Heat Exchanger Bundle Cleaning Area
- 28. Nonhazardous Waste Disposal Area
- 29. Spent Catalyst Area
- 30. Asbestos Disposal Area
- 31. Perimeter Ditch
- 32. Process Sewer Systems
- 33. Main Dock Sump
- 34. Barge Dock Sump
- 35. Slop Oil Tank 103
- 36. Air Flotation Unit
- 37. Sand Drying Beds
- 38. Dewatering Chamber
- 39. Mixing Box at Hazardous Waster Storage Buildings
- .40. Waste Disposal Area Behind Hazardous Waste Storage Building
- 41. Ballast Water Tank W1
- 42. Ballast Water Tank W2
- 43. Watery Oil Separator
- 44. Ballast Basin
- 45. East Aisle Ditch
- 46. New Oily Sludge Basin

Area	of	Concern	1	Crude	Tank	003-01
Area	of	Concern	2	Crude	Tank	003-05


Area of Concern 3 Ditch Tank Transfer Lines

Area of Concern 4 Fuel Spill


EXHIBIT C




Refinery Facility



Hazardous Wasie Storage



Tank Farm



Marine Facilities